

C L E A N F I R E S Y S T E M

XARALYN®



Decorative Fireplaces





Ambiance



Compatible with:

Bio-ethanol



Bio ethanol burner XL (8014LS)

Electric



Cassette 600

Cadiz



Cadiz Corner



Compatible with:



Kos



Natural stone F02
Finish: Polished or unpolished
H 1080 | W 1190 | D 390 mm



Natural stone F03
Finish: Polished or unpolished
H 1080 | W 1190 | D 390 mm



MDF (RAL 9010)
H 1080 | W 1190 | D 390 mm



Natural stone F02
Finish: Polished or unpolished
H 1080 | W 1190 | D 788 mm

Compatible with:

Bio-ethanol



Built-in unit L



Built-in unit L with stone effect



Built-in unit L with medallion

Electric



Trivero 70 LED fire



Lucius LED fire



Built-in unit Cassette 600



Albany



Kreta & Kreta mini



Natural stone F02
 Finish: Polished or unpolished
 Kreta: H 1100 | W 1200 | D 540 mm
 Kreta mini: H 990 | W 1050 | D 445 mm



Natural stone F03
 Finish: Polished or unpolished
 Kreta: H 1100 | W 1200 | D 540 mm
 Kreta mini: H 990 | W 1050 | D 445 mm

Compatible with:

Bio-ethanol



Built-in unit L



Built-in unit L
 with stone effect



Built-in unit L
 with medallion

Electric



Trivero 70 LED fire



Lucius LED fire



Built-in unit
 Cassette 600



Albany



Louis



Natural stone + composite C03

H 1110 | W 1275 | D 485 mm



Natural stone + composite C02

H 1110 | W 1275 | D 485 mm

Compatible with:

Bio-ethanol



Built-in unit L



Built-in unit L with stone effect



Built-in unit L with medallion

Electric



Trivero 70 LED fire



Lucius LED fire



Built-in unit Cassette 600



Albany



Marvik



Compatible with:

Bio-ethanol



Built-in unit L

Electric



Trivero 70 LED fire



Built-in unit
Cassette 600



Albany



Milos



Compatible with:

Bio-ethanol



Bio ethanol burner S (4114LB)

Electric




Trivero 70 LED fire




Cassette 400



Milano



The Milano is including:



Nuoro



The Nuoro is compatible with:





Nero



Compatible with:

Bio-ethanol



Built-in unit L



Built-in unit L
with stone effect



Built-in unit L
with medallion

Electric



Trivero 70 LED fire



Lucius LED fire



Built-in unit
Cassette 600



Albany



Santos



Natural stone F02
Finish: Polished

H 1000 | W 1300 | D 470 mm

Compatible with:

Bio-ethanol



Bio ethanol burner L (5820LB)

Electric



Trivero 90 LED fireplace



Cassette 600



Todos



Natural stone F02
Finish: Polished

H 1000 | W 780 | D 405 mm

Compatible with:

Bio-ethanol



Bio ethanol burner S (4114LB)

Electric



Cassette 400



Elin



MDF (RAL 9010)

H 450 | W 1800 | D 445 mm

Compatible with:

Bio-ethanol



Bio ethanol burner S (4114LS)



Cassette 400

Atri



Black aluminium
Including Bio ethanol burner XL (8013LS)
Wall-mounted model

H 600 | W 950 | D 166 mm



Silver aluminium
Including Bio ethanol burner XL (8013LS)
Wall-mounted model

H 600 | W 950 | D 166 mm



Black aluminium
Including Bio ethanol burner XL (8013LS)

H 640 | W 950 | D 400 mm



Silver aluminium
Including Bio ethanol burner XL (8013LS)

H 640 | W 950 | D 400 mm



Cuneo



Concrete look

H 105 | W 530 | D 260 mm

Including:


Bio-ethanol



Bio ethanol burner S (4114LS)



Woody



Resin

Including Bio ethanol burner S (4114LS)

H 125 | W 495 | D 230 mm

Including:


Bio-ethanol



Bio ethanol burner S (4114LS)



Lasize



Compatible with:

Bio-ethanol



Bio ethanol burner L (5820LB)

Electric



Cassette 600



Shigo



Natural stone F02

H 850 | W 900 | D 400 mm

Silo



Steel



With rollers

Including fitted bio ethanol burner

H 850 | W 450 | D 450 mm

Shigo is including:


Bio-ethanol



Bio ethanol burner S (4114LB)



Disegno 3D LED S



Disegno 3D LED XL



Including:

Electric



Levico 90 3D LED

Goya



MDF (RAL 9005)
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



MDF (RAL 9010)
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



Concrete look
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



Broken stone
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



Nova



Concrete look

H 620 | W 600 | D 300 mm



MDF (RAL 9010)

H 620 | W 600 | D 300 mm

The Nova concrete look is compatible with:

Bio-ethanol



Bio ethanol burner S (4114LB)

Electric



Cassette 400

The Nova MDF is including:

Electric



Cassette 400

Quero



Steel

H 750 | W 600 | D 344 mm



Corten steel

H 750 | W 600 | D 344 mm



Stainless steel

H 750 | W 600 | D 344 mm



Black glass

H 750 | W 600 | D 344 mm



Natural stone

H 750 | W 600 | D 344 mm

Compatible with:

Bio-ethanol



Bio ethanol burner S (4114LB)

Electric



Cassette 400

Trivero



Wall-surround Trivero comes standard with basalt split.

- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control

- Thermostat
- Heating: 0 - 700 - 1400 Watt (to be programmed)
- Timer function



Trivero 130

H 465 mm | W 1270 mm | D 140 mm

Consumption 15 Watt



Trivero 180

H 465 mm | W 1830 mm | D 140 mm

Consumption 20 Watt



Trivero 240

H 465 mm | W 2415 mm | D 130 mm

Consumption 25 Watt



Umbria



MDF (RAL 9010)

H 650 | W 740 | D 340 mm

The Umbria is including:

Bio-ethanol



Bio ethanol burner L (5820B)

Lucca



MDF (RAL 9010)


H 700 | W 740 | D 340 mm

The Lucca is including:

Electric



Cassette 600



Safety comes first with Xaralyn. The filling opening is separate from the opening of the fire and due to the built in safety system it is impossible to fill the bio ethanol burners while they are lit.

- The fire is created by gas that is formed when bio ethanol is exposed to the air. Due to the gradual release of the gas, there is a constant combustion, making this the bio ethanol burner very economical in use and the safest on the market.
- The complete bio ethanol burner is made of high quality stainless steel
- Ceramic stone absorbs the bio ethanol
- Ceramic wool in the outer case absorbs excess bio ethanol in case of overfilling



EN 16647:2015




DIN 4734-1



Bio ethanol burner S

(4114LS) With lip



H 80 | W 408 | D 137 mm
 Top plate (lip): W 428 | D 157 mm

- Burner contents: ± 1 liter
- Burning time: ± 3 hours
- Consumption per hour: ± 0,30 liter
- Heat output: ± 2 KW


(4114LB) With lip



H 80 | W 408 | D 137 mm
 Top plate (lip): W 428 | D 157 mm

- Burner contents: ± 1 liter
- Burning time: ± 3 hours
- Consumption per hour: ± 0,30 liter
- Heat output: ± 2 KW


(4114S) Without lip



H 80 | W 409 | D 137 mm

- Burner contents: ± 1 liter
- Burning time: ± 3 hours
- Consumption per hour: ± 0,3 liter
- Heat output: ± 2 KW

(4114B) Without lip



H 80 | W 409 | D 137 mm

- Burner contents: ± 1 liter
- Burning time: ± 3 hours
- Consumption per hour: ± 0,3 liter
- Heat output: ± 2 KW

All bio ethanol burners contain a patented Clean fire System ceramic core. This core absorbs the bio ethanol completely, which makes it impossible for the fuel to leak or spill.



Bio ethanol burner M

(4120B) Without lip



H 80 | W 405 | D 200 mm

Burner contents:	± 1,5 liter
Burning time:	± 3 hours
Consumption per hour:	± 0,3 liter
Heat output:	± 2,5 KW

Included with all burners

- Quickstart
- Manual
- Glass screens
- Connectors
- Lighter
- Funnel
- Operating sticks



Bio ethanol burner L

(5820LS) With lip



H 80 | W 575 | D 198 mm
 Top plate (lip): W 597 | D 220 mm

Burner contents: ± 2 liters
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,5 liters
 Heat output: ± 3KW

(5820LB) With lip



H 80 | W 575 | D 198 mm
 Top plate (lip): W 597 | D 220 mm

Burner contents: ± 2 liters
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,5 liters
 Heat output: ± 3KW

(5820S) Without lip



H 80 | W 575 | D 200 mm

Burner contents: ± 2 liters
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,5 liters
 Heat output: ± 3KW

(5820B) Without lip



H 80 | W 575 | D 200 mm

Burner contents: ± 2 liters
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,5 liters
 Heat output: ± 3KW

Bio ethanol burner XL

(8014LS) With lip



H 80 | W 800 | D 137 mm
 Top plate (lip): W 820 | D 157 mm

Burner contents: ± 2,5 liter
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,55 liter
 Heat output: ± 3,5KW

(8014LB) With lip



H 80 | W 800 | D 137 mm
 Top plate (lip): W 820 | D 157 mm

Burner contents: ± 2,5 liter
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,55 liter
 Heat output: ± 3,5KW

Bio ethanol burner XXL


(11814LS) With lip



H 84 | W 1180 | D 137 mm
 Top plate (lip): W 1200 | D 157 mm

Burner contents: ± 3,5 liter
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,65 liter
 Heat output: ± 4,4 KW

(11814LB) With lip



H 84 | W 1180 | D 137 mm
 Top plate (lip): W 1200 | D 157 mm

Burner contents: ± 3,5 liter
 Burning time: ± 3,5 hours
 Consumption per hour: ± 0,65 liter
 Heat output: ± 4,4 KW

Built-in unit S



H 690 | W 500 | D 210 mm

Including Bio ethanol burner M (4120B)

Built-in unit L



H 712 | W 680 | D 210 mm

Including Bio ethanol burner L (5820B)



H 744 | W 690 | D 225 mm

With stone Effect
Including Bio ethanol burner L (5820B)



H 744 | W 690 | D 225 mm

With medallion
Including Bio ethanol burner L (5820B)



Built-in unit XL



H 538 | W 947 | D 217 mm

Including Bio ethanol burner XL (8014LS)
Removable backwall

Optional with Finishing frame

Built-in unit XXL



H 536 | W 1330 | D 217 mm

Including Bio ethanol burner XXL (11814LS)
Removable backwall

Optional with Finishing frame

Built-in profiles



H 3 | W 530 | D 260 mm

Available in black or brushed stainless steel

Including bio ethanol burner S (4114L)



H 3 | W 695 | D 320 mm

Available in black or brushed stainless steel

Including bio ethanol burner L (5820L)



H 3 | W 920 | D 260 mm

Available in black or brushed stainless steel

Including bio ethanol burner XL (8014L)



The built-in profile is designed for use in combination with the bio ethanol burner. The profile protects your project or furniture against the heat that is produced by the bio ethanol burner and makes installation easier.

Bio ethanol CL100



Bio ethanol is entirely comprised of biological products, and hence the combustion of bioethanol results in cleaner emissions (carbon dioxide, steam and heat). Carbon dioxide is absorbed by plants and processed via photosynthesis to help the plant grow. This cycle of creation and energy combustion means bioethanol could potentially be a carbon neutral fuel source.



Castello



H 730 | W 740 | D 320 mm

Can be mounted on a wall or be used as a built-in fire

- Consumption 25 Watt
- Control with app
- Maintenance-free
- Remote control
- Thermostat
- Functions with LED lights
- Adjustable flames
- Heating: 0 – 600 – 1200 Watt (to be programmed)



Levico 90




H 410 | W 915 | D 248 mm

- Consumption 15 Watt
- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control
- Timer
- Heating: 0 – 400 – 800 Watt (to be programmed)



Trivero 70



H 690 | W 660 | D 197 mm


- Consumption 10 Watt
- Maintenance-free
- Including basalt split
- Functions with LED lights
- Adjustable flames
- Remote control
- Thermostat
- Heating: 0 - 400 - 800 Watt (to be programmed)

Optional for the Trivero 70

Make it deeper. Included with purchase of a surround.



Resin Logset





Elski



H 665 | W 470 | D 205 mm

- Consumption 10 Watt
- Maintenance-free
- Remote control
- Thermostat
- Functions with LED lights
- Adjustable flames
- Heating: 0 – 600 – 1200 Watt (to be programmed)

Lucius



H 610 | W 620 | D 195 mm

- Consumption 10 Watt
- Maintenance-free
- Remote control
- Thermostat
- Functions with LED lights
- Adjustable flames
- Heating: 0 – 700 – 1400 Watt (to be programmed)



Trivero 90



H 560 | W 1040 | D 140 mm

- Consumption 15 Watt
- Maintenance-free
- Including basalt split
- Functions with LED lights
- Adjustable flames
- Remote control

Basket Cassette 400



H 330 | W 405 | D 216 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control

Basket Cassette 600



H 340 | W 564 | D 218 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control


Built-in unit 600



H 720 | W 700 | D 275 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control

Albany



H 705 | W 640 | D 295 mm

- Consumption 220 Watt
- Adjustable flame image
- Remote control with LCD display
- LED logset
- Heating: 0 - 750 - 1500 Watt (to be programmed)
- Including side cover


Logset 6 pieces




Logset 10 pieces



White pebbles 5kg



Basalt split 4kg



Luxury logset




Logset Resin



Crackling sound effect box



Electric lighter



C L E A N F I R E S Y S T E M
XARALYN®

A Vreekesweid 30
1721 PR Broek op Langedijk
The Netherlands

E info@xaralyn.com
W www.xaralyn.com



V. 040620 - All rights reserved